

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

OCT 18 1977

Date of filing in State Engineer's Office.....

AUG 18 1978

Returned to applicant for correction.....

Corrected application filed.....

Map filed.....

The applicant..... Paul E. Stinson.....

5900 W. Tropicana #165....., of..... Las Vegas.....
Street and No. or P.O. Box No. City or Town

Nev. 89103....., hereby make..... application for permission to appropriate the public
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.).....

1. The source of the proposed appropriation is..... underground.....
Name of stream, lake or other source.

2. The amount of water applied for is..... needed for 150± ac. or 2.7±..... second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet..... unknown..... acre-feet

3. The water to be used for..... Irr. & Domestic.....
Irrigation, power, mining, manufacturing, domestic, or other use.

4. If use is for:

(a) Irrigation (state number of acres to be irrigated)..... 150±.....

(b) Stockwater (state number and kinds of animals to be watered)..... some.....

(c) Other use (describe fully under "No. 12. Remarks").....

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point:..... NE¼ SW¼ sec. 32, T14S,.....

R68E, MDB&M, Clark Co. Nev.

Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,

it should be stated.

6. Place of use..... SW¼ sec. 32, T14S, R68E, MDB&M, Clark Co. Nev.
Describe by legal subdivision, if on unsurveyed land it should be so stated.

7. Use will begin about..... Jan. 1..... and end about..... Dec. 31....., of each year.
Day and Month Day and Month

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.)..... well, pipes, ditches.....

State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

9. Estimated cost of works.....\$1,000.00
10. Estimated time required to construct works.....18 months
11. Estimated time required to complete the application to beneficial use.....3 years
12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Carey Act

Applicant s/ Paul E. Stinson

By s/ Paul E. Stinson

5900 W. Tropicana #165

Las Vegas, Nev. 89103

Compared lp/jv

OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed.....cubic feet per second.....

Actual construction work shall begin on or before.....

Proof of commencement of work shall be filed before.....

Work must be prosecuted with reasonable diligence and be completed on or before.....

Proof of completion of work shall be filed before.....

Application of water to beneficial use shall be made on or before.....

Proof of the application of water to beneficial use shall be filed on or before.....

Map in support of proof of beneficial use shall be filed on or before.....

Commencement of work filed.....

Completion of work filed.....

Proof of beneficial use filed.....

Cultural map filed.....

Certificate No.....Issued.....

Recorded.....Bk.....Page.....

County Recorder

IN TESTIMONY WHEREOF, I.....

State Engineer of Nevada, have hereunto set my hand and the seal of my office, this.....day of.....

A.D. 19.....OCT 24 1978

CANCELED.....BECAUSE OF FAILURE TO REFILE

State Engineer

CORRECTED APPLICATION WITHIN STATUTORY TIME.

STATE ENGINEER